

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/516,458	12/17/2004	Heinz Schneider	P08486US00/DEJ	2875
***	7590 03/09/2007 RBISON PLLC		EXAMINER	
1199 NORTH FAIRFAX STREET SUITE 900 ALEXANDRIA, VA 22314			MCGRAW, TREVOR EDWIN	
			ART UNIT	PAPER NUMBER
, , , , , , , , , , , , , , , , ,			3752	
	_			
SHORTENED STATUTOR	ENED STATUTORY PERIOD OF RESPONSE MAIL DATE DELIVER		Y MODE	
31 DAYS		03/09/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/516,458	SCHNEIDER, HEINZ			
Office Action Summary	Examiner	Art Unit			
	Trevor McGraw	3752			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
 1) Responsive to communication(s) filed on 17 December 2004. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. 					
Disposition of Claims					
4) ⊠ Claim(s) 1-23 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) □ Claim(s) is/are allowed. 6) □ Claim(s) is/are rejected. 7) □ Claim(s) is/are objected to. 8) ⊠ Claim(s) 1-23 are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date		Mail Date mal Patent Application			

Application/Control Number: 10/516,458

Art Unit: 3752

DETAILED ACTION

Election/Restrictions

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

Species A: Figures 1, 4 and 7;

Species B: Figure 2;

Species C: Figure 3;

Species D: Figure 5;

Species E: Figure 6;

Species F: Figure 8;

Species G: Figure 9 and 10;

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Application/Control Number: 10/516,458

Art Unit: 3752

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

The claims are deemed to correspond to the species listed above in the following manner:

Species A: Claims 1-5, 8-10,16 and 23;

Species B: Claims 1-5;

Species C: Claims 1-7;

Species D: Claims 1-5 and 17;

Species E: Claims 1-5, 8-11, 18,19,21 and 22;

Species F: Claims 1-5 and 20;

Species G: Claims 1-5 and 12-15;

The following claim(s) are generic: 1-5.

The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: the pressure regulating valves of species A, D, E, F and G are all separate embodiments where species A is a combined spray valve and pressure regulating valve, species D is a spray valve and pressure regulating valve with an annular attachment with an integrally formed neck attached to an inner housing, species E is a pressure regulating valve that is retrofitted with a spray valve,

Art Unit: 3752

species F is a spray valve with pressure regulating chamber at the bottom oriented toward the inlet neck and species G is a pressure regulating valve where an o-ring is used as the sealing element. Should applicant disagree with what claims Examiner deems to correspond with the species listed above then Applicant is required to explain and show what claims belong with what species.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Trevor McGraw whose telephone number is (571) 272-7375. The examiner can normally be reached on Monday-Friday (2nd & 4th Friday Off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on (571) 272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3752

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-

free).

Trevor McGraw

Apt Unit 3752

TEM

SUPERVISORY PAVENT EXAMINER
TECHNOLOGY CENTER 3700